



Approach to Altered Mental Status

Author: Quentin Reuter, MD

Adapted from a lecture by Corey Slovis, MD

Editors: Andrew Ketterer, MD, MA, Kristen Grabow Moore, MD, MEd

1. Vital Sign Abnormalities:

- Respiratory: hypoxia, hypercapnea
- Shock: hypotension, tachycardia, bradycardia. Warm/well perfused vs. cold and clammy
- Temperature: sepsis, hyperthermia/hypothermia emergencies

↓ Vital Signs Stable?

2. Toxicologic/Metabolic:

- NGT: Naloxone/Glucose/Thiamine ("coma cocktail")
- CMP: Na, Ca, K, low bicarb (acidosis), LFTs, Cr/BUN
- CBC: DIC/HUS, TTP, severe anemia
- Endocrine : Hyper-/hypothyroidism, adrenal failure
- Drugs/Toxins: EtOH/sedatives, opioids, sympathomimetics, Tylenol/ASA, CO/cyanide, toxic alcohols, DKA/HUS, check the med list for antihistamines, anticholinergics, benzos, opioids, psych meds

↓ Labs sent, no obvious toxidrome, naloxone/glucose/thiamine considered?

3. Primary Neurologic:

- Intracranial bleed
- Seizure: epileptic, non-epileptic
- Stroke/carotid dissection: large vessel occlusion -> neglect, aphasia, eye deviation

↓ Neurologic exam non-focal? Head CT ordered?

4. Infectious:

- Sepsis/bacteremia, meningitis, encephalitis, PNA, UTI, intra-abdominal infection, prostatitis, cellulitis/necrotizing fasciitis, osteomyelitis, endocarditis

↓ Still No Answer?

5. Consider Primary Psychiatric Disease